



Fig. 1A









Fig. 3A






Fig. 4




Fig. 5




Fig. 6




Fig. 7

Express Mail No. EL755726202US Inventor(s): Richard D. Ellis et al

$T_1$	$T_2$	T <sub>3</sub>	T <sub>4</sub>	T <sub>5</sub>	T <sub>6</sub>	T <sub>7</sub>	T <sub>8</sub>	T <sub>9</sub>	T <sub>10</sub>	T <sub>11</sub>	T <sub>12</sub>	
P <sub>1</sub>									P <sub>2</sub>			56K
	P <sub>1</sub>									P <sub>2</sub>		56K
P <sub>1</sub>			P <sub>2</sub>			P <sub>3</sub>			P <sub>4</sub>			DSL
		P <sub>1</sub>									P <sub>2</sub>	56K
P <sub>1</sub>	P <sub>2</sub>	P <sub>3</sub>	P <sub>4</sub>	P <sub>5</sub>	P <sub>6</sub>	P <sub>7</sub>	P <sub>8</sub>	P <sub>9</sub>	P <sub>10</sub>	P <sub>11</sub>	P <sub>12</sub>	T1
			P <sub>1</sub>									56K
P <sub>1</sub>		P <sub>2</sub>		P <sub>3</sub>		P <sub>4</sub>		P <sub>5</sub>		P <sub>6</sub>		Cable
					P <sub>1</sub>							56K

Fig. 8